

004760261\_001

004760261\_001

Pos	Code	Description	Poids kg	N	Qté
1	892607370	couvercle			1
2	892608360	SEPTUM (COUVERCLE)			1
3	892608370	SEPTUM (COUVERCLE)			1
4	892608380	SEPTUM (COUVERCLE) DROITE			1
5	892608390	TOP EN FONTE			1
6	895718160	manija (5 pièces)			1
7	892608400	montant			1
8	892607270	joint en verre 10MM (10MT)			1
9	892607290	vitre de la porte foyer			1
10	892607410	plaque			1
11	895704480	axe (10 pièces)			1
12	892607260	peindr]			1
15	895722760	support (couple)			1
17	892607250	tiroir à cendres (complet)			1
18	892602770	joint en verre 10MM (10MT)	POS. ANTERIORE		1
19	895718220	joint en fibre de verre(bosse GG/BM 1020	POS. POSTERIORE		1
20	895702570	PIEDS D'APPUI 4 PIÈCES			1
21	892607320	porte foyer (seulement chassis)			1
22	892608410	PORTE FOYER (KIT COMPLET)			1
23	895715720	joint en fibre de verre 5 MM (10MT)			1
24	895705831	eteint (2 PC)	0		1
25	892607360	grille de protection			1
26	892607400	grille anterieure			1
27	895719530	imant (10 pièces)			1
29	892607340	couple de charni}re (couple)s			1
30	892607280	poign e			1
31	892607350	cote arri}re			1
32	892607440	pieds d'appui 4 pi}ces			1
34	892607300	peindr]			1
35	892607310	peindr]			1
37	892606690	FERMETURE PORTE			1
38	892005170	COTÉS ROUGE			1
38	892005171	COTÉS AVOIR			1
38	892005172	COTÉS NOIRES			1
39	892608420	ceramique { cot] rouge			1
39	892608440	ceramique { cot] beige			1

004760261\_001

004760261\_001

---

004760261\_001

004760261\_001

[www.pieces-de-poele.com](http://www.pieces-de-poele.com)



Pos	Code	Description	Poids kg	N	Q.té
39	892608460	ceramique { cot] VERT			1
39	892608480	ceramique { cot] MARON			1
39	892608500	ceramique { cot] JAUNE			1
40	892608510	SEPTA KIT CÉRAMIQUE JAUNE SAHARA			1
40	892608490	SEPTA KIT de c]ramique de couleur TDS			1
40	892608470	C]ramique verte KIT SEPTA			1
40	892608450	SEPTA CÉRAMIQUE KIT BEIGE			1
40	892608430	SEPTA KIT de c]ramique rouge			1

---

004760261\_001

004760261\_001

# SCHEDE: IO50 / IO23




- TERMOCOPPIA:** Utilizzare tipo "J" / Thermocouple type "J"  
Rispettare la polarità / You must ensure the polarity into clamp  
Non fare giunzioni. / Do not make junction
- NTC 10K** Uguali per tutte le schede / NTC probe 10K are the same for all the PCB
- LUNGHEZZA** Lunghezza standard 2 MT eventualmente adattare // Standard length 2 meters. You can extend the wire up to 5 meters with standard wire otherwise use shield wire

**SCHEMA SONDE SCHEDE IO23\_IO50**

Pos	Code	Description	Poids kg	N	Q.té
2	895726550	sonde (avec trou)			1
3	895727180	SONDE (NTC10KOHM)			1
4	895722460	sonde (avec support)			1

---

**SCHEMA SONDE SCHEDA IO23\_IO50**



---

004760261\_002

004760261\_002


Pos	Code	Description	Poids kg	N	Qté
100	892607330	BRASIER			1
101	895713840	plaque du fond			1
102	895718210	support			1
104	895725651	COTE DU FOYER (COUPLE)			1
105	895701100	JOINT EN FIBRE DE VERRE 6MM (10 MT)			1

---

004760261\_002

004760261\_002





004760261\_003

004760261\_003

Pos	Code	Description	Poids kg	N	Q.té
201	895725770	VENTILATEUR EXTRACTEUR DE FUMÉE (COMPLÈTe)			1
202	895715630	resistance avec support	VERSIONE 9 KW		1
203	895711730	resistance			1
206	895700770	BAGUE			1
208	892607900	roteur ecluse			1
209	892005211	BAGUES (4 PIÈCES)			1
211	895715610	joint (cerapaper 10 pièces)			1
212	895713750	FICHE I023 (PROGRAMMABLE)	DE15 IC 15KW-DE15 IM 15KW-CARLA IDRO 15KW-ANITA ROSA 15 KW		1
214	895701340	INTERRUPTEUR			1
215	892605890	pressostat			1
216	895700900	CABLAGE D'ALIMENTATION			1
218	892607240	câblage			1
219	892606710	SUPPORT			1
222	895714830	tableau			1
222	895727140	CABLAGE "FLAT"			1
224	892605930	SONDE AMB/PELLET (AVEC TROU)			1
226	895735700	motoreducteur 1,46 RPM CW			1
228	895722260	thermostat			1
230	895725682	ventilateur tangentiel	895725682		1
231	895701080	TUYAU EN SILICONE			1
232	892605940	SONDE FUMEEES (AVEC UPPORT)			1
233	892605920	SONDE (I050)			1

004760261\_003

004760261\_003