

---

004760053\_001

004760053\_001



Pos	Code	Description	Poids kg	N	Q.té
1	895711740	tiroir à cendres (complet)			1
2	895705831	eteint (2 PC)	0		1
3	895711750	cadre frontale			1
4	895704570	boussole (8 pièces)			1
5	895705930	BRASERO			1
6	895711760	PAROI DE FOND			1
7	895711770	joints (cerapaper)			1
8	895705970	couvert inferieur			1
9	895702570	PIEDS D'APPUI 4 PIÈCES			1
10	894700020	axe			1

---

004760053\_001

004760053\_001

# SCHEDE: IO50 / IO23



TERMOCOPPIA: Utilizzare tipo "J"/ Thermocouple type "J"  
Rispettare la polarità / You must ensure the polarity into clamp  
Non fare giunzioni. / Do not make junction

NTC 10K Uguali per tutte le schede / NTC probe 10K are the same for all the PCB


LUNGHEZZA Lunghezza standard 2 MT eventualmente adattare // Standard length 2 meters. You can extend the wire up to 5 meters with standard wire otherwise use shield wire

**SCHEMA SONDE SCHEDA  
IO23\_IO50**

Pos	Code	Description	Poids kg	N	Q.té
2	895726550	sonde (avec trou)			1
3	895727180	SONDE (NTC10KOHM)			1
4	895722460	sonde (avec support)			1

---

**SCHEMA SONDE SCHEDA  
IO23\_IO50**



004760053\_002

004760053\_002


[www.pieces-de-poele.com](http://www.pieces-de-poele.com)

Pos	Code	Description	Poids kg	N	Q.té
21	895711800				1
22	895711900				1
22	895711901				1
22	895711902				1
23	895711910				1
23	895711911				1
23	895711912				1
24	895711920				1
24	895711921				1
24	895711922				1
25	895711950	porte foyer (complet)			1
26	895711960	porte foyer (complet)			1
26	895711961				1
27	895711690	VITRE PORTE FOYER			1
28	895711930				1
29	895711940				1
30	895711810				1
30	895711811				1
30	895711812				1
31	895711820				1
31	895711821				1
31	895711822				1
32	895711980	poignée			1
33	895711990				1
34	895712000				1
35	895704740				1
36	895701040	joint en verre 8 MM (10MT)			1

---

004760053\_002

004760053\_002



004760053\_003

004760053\_003

Pos	Code	Description	Poids kg	N	Q.té
40	895712010	tableau			1
41	895700900	CABLAGE D'ALIMENTATION			1
42	895712030	pressostat			1
43	895713751	FICHE I023 (PROGRAMMABLE)			1
44	895700860	extracteur de fume (SANS MOTEUR) e)			1
45	895704290	tuyau			1
46	892603940	ventilateur extracteur de fumée (complète)			1
47	895700600	ventilateur			1
48	895708600	resistance avec support			1
49	895711730	resistance			1
50	895706050	couvercle			1
51	895711711	ventilateur			1
52	892600680	ecluse de chargement avec boucles			1
53	895706120	MOTOREDUCTEUR 1 RPM CCW			1
54	895712040	CÂBLAGE "CABLE PUISSANCE"			1
55	895712050	CÂBLAGE "SIGNAL"			1
56	895705950	BOUCHON			1
58	892005211	BAGUES (4 PIÈCES)			1
59	895712060				1
60	895712070	sonde (I023)			1

---

004760053\_003

004760053\_003